

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **Quartz Intensive Cleaner**

Article number: 11948, 11954, 11962

UFI: K4V1-U01T-P00C-NRYT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Cleaning agent/ Cleaner

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH  
Lechstrasse 28  
D 90451 Nürnberg

Tel. +49(0)911-642960  
Fax. +49(0)911-644456  
e-mail info@akemi.de

Further information obtainable from:

Laboratory

#### 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH  
Tel. +49(0)911-64296-59  
Reachable during the following office hours:  
Monday – Thursday from 07:30 a.m. to 16:30 p.m.  
Friday from 07:30 a.m. to 13:30 p.m.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

Signal word

Warning

Hazard-determining components of labelling:

Not applicable.

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 2)

EU

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name:** Quartz Intensive Cleaner

(Contd. of page 1)

**SECTION 3: Composition/information on ingredients****· 3.2 Mixtures****· Description:** Mixture: consisting of the following components.**· Dangerous components:**

|             |                                                    |                                                                   |      |
|-------------|----------------------------------------------------|-------------------------------------------------------------------|------|
| 157627-86-6 | Alcohols, C13-C15 branched and linear, ethoxylated | Eye Dam. 1, H318<br>Acute Tox. 4, H302<br>Aquatic Chronic 3, H412 | 1-5% |
| 112-34-5    | 2-(2-butoxyethoxy)ethanol                          | Eye Irrit. 2, H319                                                | 1-5% |

**· Regulation (EC) No 648/2004 on detergents / Labelling for contents**

non-ionic surfactants, perfumes

&lt;5%

**· Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****· 4.1 Description of first aid measures**

**· General information:** No special measures required.

**· After inhalation:** Supply fresh air; consult doctor in case of complaints.

**· After skin contact:** Generally the product does not irritate the skin.

**· After eye contact:** Rinse opened eye for several minutes under running water.

**· After swallowing:** If symptoms persist consult doctor.

**· 4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**· 4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed, gastric irrigation with added, activated carbon.

**SECTION 5: Firefighting measures****· 5.1 Extinguishing media****· Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**· 5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

**· 5.3 Advice for firefighters****· Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures****· 6.2 Environmental precautions:**

Product forms slippery surface when combined with water.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name:** Quartz Intensive Cleaner

(Contd. of page 2)

- **6.4 Reference to other sections** No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** The product is not flammable.  
No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.  
Store away from oxidising agents.
- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**112-34-5 2-(2-butoxyethoxy)ethanol**

|       |                                                                                                        |
|-------|--------------------------------------------------------------------------------------------------------|
| IOELV | Short-term value: 101.2 mg/m <sup>3</sup> , 15 ppm<br>Long-term value: 67.5 mg/m <sup>3</sup> , 10 ppm |
|-------|--------------------------------------------------------------------------------------------------------|

· **DNELs****112-34-5 2-(2-butoxyethoxy)ethanol**

|            |                            |                                                                      |
|------------|----------------------------|----------------------------------------------------------------------|
| Oral       | DNEL (Langzeit-wiederholt) | 5 mg/kg bw/day (BEV)                                                 |
| Dermal     | DNEL (Langzeit-wiederholt) | 83 mg/kg bw/day (ARB)<br>50 mg/kg bw/day (BEV)                       |
| Inhalative | DNEL (Kurzzeit-akut)       | 101.2 mg/m <sup>3</sup> Air (ARB)<br>7.5 mg/m <sup>3</sup> Air (BEV) |
|            | DNEL (Langzeit-wiederholt) | 67.5 mg/m <sup>3</sup> Air (ARB)<br>40.5 mg/m <sup>3</sup> Air (BEV) |

· **PNECs****112-34-5 2-(2-butoxyethoxy)ethanol**

|                |                                                                                         |
|----------------|-----------------------------------------------------------------------------------------|
| PNEC (wässrig) | 200 mg/l (KA)<br>0.1 mg/l (MW)<br>1 mg/l (SW)<br>3.9 mg/l (WAS)                         |
| PNEC (fest)    | 0.32 mg/kg Trockengew (BO)<br>0.44 mg/kg Trockengew (MWS)<br>4.4 mg/kg Trockengew (SWS) |

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name: Quartz Intensive Cleaner**

(Contd. of page 3)

**· 8.2 Exposure controls**

- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid close or long term contact with the skin.

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

- Respiratory protection:

Not required.

- Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

STOKODERM (<http://www.stoko.com>)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (<http://www.stoko.com>)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (<http://www.stoko.com>)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

Value for the permeation: Level  $\leq 6$ , 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name: Quartz Intensive Cleaner**

(Contd. of page 4)

- For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR
- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR  
Camatril (KCL, 730, 731, 732, 733)
- Not suitable are gloves made of the following materials: Leather gloves  
Strong material gloves
- Eye/face protection Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

- General Information
- Colour: Colourless
- Odour: Characteristic
- Odour threshold: Not determined.
- Melting point/freezing point: 0 °C
- Boiling point or initial boiling point and boiling range 100 °C
- Flammability Not applicable.
- Lower and upper explosion limit
- Lower: Not determined.
- Upper: Not determined.
- Flash point: Not applicable.
- Decomposition temperature: Not determined.
- pH at 20 °C 9
- Viscosity:
- Kinematic viscosity at 20 °C 11 s (DIN 53211/4)
- Dynamic: Not determined.
- Solubility
- water: Not miscible or difficult to mix.
- Partition coefficient n-octanol/water (log value) Not determined.
- Vapour pressure at 20 °C: 23 hPa
- Density and/or relative density
- Density at 20 °C: 1 g/cm<sup>3</sup>
- Relative density Not determined.
- Vapour density Not determined.

#### · 9.2 Other information

- Appearance:
- Form: Fluid
- Important information on protection of health and environment, and on safety.
- Auto-ignition temperature: Product is not selfigniting.
- Explosive properties: Product does not present an explosion hazard.
- Solvent content:
- Organic solvents: 1.2 %
- Water: 96.7 %
- Molecular weight 18.02 g/mol
- Change in condition
- Evaporation rate Not determined.

(Contd. on page 6)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name: Quartz Intensive Cleaner**

(Contd. of page 5)

· Information with regard to physical hazard classes

· Explosives

Void

· Flammable gases

Void

· Aerosols

Void

· Oxidising gases

Void

· Gases under pressure

Void

· Flammable liquids

Void

· Flammable solids

Void

· Self-reactive substances and mixtures

Void

· Pyrophoric liquids

Void

· Pyrophoric solids

Void

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable gases in contact with water

Void

· Oxidising liquids

Void

· Oxidising solids

Void

· Organic peroxides

Void

· Corrosive to metals

Void

· Desensitised explosives

Void

(Contd. on page 7)

EU

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name:** Quartz Intensive Cleaner

(Contd. of page 6)

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

**ATE (Acute Toxicity Estimates)**

|      |      |                             |
|------|------|-----------------------------|
| Oral | LD50 | >27,833-111,333 mg/kg (rat) |
|------|------|-----------------------------|

**157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated**

|        |          |                                 |
|--------|----------|---------------------------------|
| Oral   | LD50     | >500-2,000 mg/kg (rat)          |
| Dermal | LD50     | >2,000 mg/kg (rat)              |
|        | LC50/48h | 1-10 mg/l (Oncorhynchus mykiss) |

**112-34-5 2-(2-butoxyethoxy)ethanol**

|        |      |                     |
|--------|------|---------------------|
| Oral   | LD50 | 2,410 mg/kg (mouse) |
|        |      | >2,000 mg/kg (rat)  |
| Dermal | LD50 | 2,764 mg/kg (rbt)   |

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**· **Endocrine disrupting properties**

|          |                   |         |
|----------|-------------------|---------|
| 118-58-1 | benzyl salicylate | List II |
|----------|-------------------|---------|

**SECTION 12: Ecological information****12.1 Toxicity**· **Aquatic toxicity:****157627-86-6 Alcohols, C13-C15 branched and linear, ethoxylated**

|          |                                     |
|----------|-------------------------------------|
| EC50/48h | 1-10 mg/l (daphnia magna)           |
| EC10     | >1,000 mg/l (BES)                   |
| EC50/72h | 1-10 mg/l (Scenedesmus subspicatus) |

(Contd. on page 8)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name:** Quartz Intensive Cleaner

(Contd. of page 7)

**112-34-5 2-(2-butoxyethoxy)ethanol**

|          |                                                        |
|----------|--------------------------------------------------------|
| EC50/24h | 2,850 mg/l (daphnia magna) (DIN 38412)                 |
| EC50/96h | >100 mg/l (Desmodesmus subspicatus)                    |
|          | >100 mg/l (Scenedesmus subspicatus)                    |
| EC10/16h | 1,170 mg/l (pseudomonas putida)                        |
| EC5      | 73 mg/l (Entosiphon sulcatum)                          |
| EC50/48h | >100 mg/l (daphnia magna)                              |
| NOEC     | >100 mg/kg (Desmodesmus subspicatus)                   |
| EC10     | >1,995 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung) |
| EC50/72h | >100 mg/l (Desmodesmus subspicatus)                    |
| LC50/96h | 1,300 mg/l (Iepomis macrochirus)                       |
|          | >100 mg/l (Leuciscus idus)                             |
|          | 1,150 mg/l (poecilia reticulata)                       |

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· PBT: Not applicable.

· vPvB: Not applicable.

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· Recommendation: Smaller quantities can be disposed of with household waste.

· European waste catalogue

|           |                                                                                                                                         |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 20 00 00  | MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS |
| 20 01 00  | separately collected fractions (except 15 01)                                                                                           |
| 20 01 29* | detergents containing hazardous substances                                                                                              |

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

**SECTION 14: Transport information**

· **14.1 UN number or ID number**

· ADR, ADN, IMDG, IATA: Void

· **14.2 UN proper shipping name**

· ADR, ADN, IMDG, IATA: Void

(Contd. on page 9)



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name:** Quartz Intensive Cleaner

(Contd. of page 8)

**14.3 Transport hazard class(es)**

· ADR, ADN, IMDG, IATA

· Class Void

**14.4 Packing group**

· ADR, IMDG, IATA Void

**14.5 Environmental hazards:**

· Marine pollutant: No

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· Transport/Additional information:

Not dangerous according to the above specifications.

· UN "Model Regulation":

Void

**SECTION 15: Regulatory information**
**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances -  
ANNEX I

None of the ingredients is listed.

· REGULATION (EC) No 1907/2006  
ANNEX XVII

Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU

12.0 g/l

**15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

EU

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

**Trade name: Quartz Intensive Cleaner**

(Contd. of page 9)

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Laboratory
- Date of previous version: 26.07.2022
- Version number of previous version: 3
- Abbreviations and acronyms:
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - Acute Tox. 4: Acute toxicity – Category 4
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU