

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Anti-Graffiti

· Article number: 10890, 10891, 10892 CAF3-U0J9-500X-PCVS · UFI:

 1.2 Relevant identified uses of the substance or mixture and

No further relevant information available. uses advised against

· Application of the substance / the

mixture Protective coating

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-642960 Lechstrasse 28 Fax. +49(0)911-644456 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

Laboratory

1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 · Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of

labelling: 2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

· Hazard statements H317 May cause an allergic skin reaction.

· Precautionary statements P101 If medical advice is needed, have product container or label at hand.

> P102 Keep out of reach of children.

P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray.

Wear protective gloves. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/ P501

national/international regulations.

Contains biocidal products: 5-chloro-2-methyl-2H-isothiazol-3-one, 2-methyl-2H-· Additional information:

isothiazol-3-one, N-(3-(trimethoxysilyl)propyl)ethylenediamine, 1,2-benzisothiazol-

3(2H)-one

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 2)



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

· vPvB: Not applicable. (Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Mixture of substances listed below with nonhazardous additions. · Description:

· Dangerous components:		
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613- Reg.nr.: 01-212076	2-methyl-2H-isothiazol-3-one	%
CAS: 55965-84-9 EC number: 611-34 Index number: 613-	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) 7-00-5 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$ % Skin Irrit. 2; H315: 0.06 % $\le C < 0.6$ % Eye Dam. 1; H318: $C \ge 0.6$ % Skin Sens. 1A; H317: $C \ge 0.0015$ %	%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Take affected persons out into the fresh air.

Position and transport stably in side position.

Immediately remove any clothing soiled by the product.

No special measures required.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a

· After swallowing: Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and

delayed · 4.3 Indication of any immediate

medical attention and special

treatment needed If swallowed, gastric irrigation with added, activated carbon.

Allergic reactions

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 2)

In case of fire, the following can be released:

Nitrogen oxides (NOx) Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

5.3 Advice for firefighters

Protective equipment:
 Additional information
 Do not inhale explosion gases or combustion gases.
 Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

<u>emergency procedures</u> Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Ensure adequate ventilation.

• <u>6.4 Reference to other sections</u> See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information. No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and

<u>explosion protection:</u> No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

<u>storerooms and receptacles:</u> Prevent any seepage into the ground.

· Information about storage in one

<u>common storage facility:</u> Store away from foodstuffs.

· Further information about storage

conditions: None.
Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information:

workplace:

· Ingredients with limit values that require monitoring at the

values that have to be monitored at the workplace.

The lists yelld during the making were used as besign

The product does not contain any relevant quantities of materials with critical

The lists valid during the making were used as basis.

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 3)

· 8.2 Exposure controls

No further data: see item 7. Appropriate engineering controls

· Individual protection measures, such as personal protective equipment

· General protective and hygienic

measures:

Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product. Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

· Hand protection

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of

protective gloves:

STOKODERM (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application

and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Material of gloves Fluorocarbon rubber (Viton)

> Butyl rubber, BR Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

· Penetration time of glove material

Value for the permeation: Level < 6, 480 min

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

(Contd. on page 5)



(Contd. of page 4)

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

· For the permanent contact gloves made of the following materials are

suitable:

Fluorocarbon rubber (Viton) Vitoject (KCL, Art No. 890)

Butyl rubber, BR

Butoject (KCL, Art_No. 897, 898)

Nitrile rubber, NBR

Camatril (KCL, Art_No. 730, 731, 732, 733)

· As protection from splashes gloves made of the following materials are

suitable:

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

· Not suitable are gloves made of

the following materials:

Leather gloves Strong material gloves

Goggles recommended during refilling Eye/face protection

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Whitish · Odour: Characteristic · Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range 100 °C

Not applicable. · Flash point:

Not determined

· Ignition temperature: >300 °C

· pH at 20 °C

· Viscosity:

· Kinematic viscosity at 20 °C 11 s (DIN 53211/4) Not determined. · Dynamic:

Solubility

Not miscible or difficult to mix. · water:

23 hPa · Vapour pressure at 20 °C:

Density and/or relative density

Density at 20 °C: 0.99 g/cm³

• 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health and

environment, and on safety.

Product is not selfigniting. Auto-ignition temperature:

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 0.0 % · Water: 90.5 % · Solids content: 18.4 %

· Information with regard to physical hazard classes

 Explosives Void Void · Flammable gases Void Aerosols · Oxidising gases Void · Gases under pressure Void

(Contd. on page 6)



Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 5)

Flammable liquids Void

· Flammable solids Void

· Self-reactive substances and mixtures

Void

Pyrophoric liquidsPyrophoric solidsVoid

· Self-heating substances and mixtures

Void

· Substances and mixtures, which emit flammable

gases in contact with water

· Oxidising liquids

· Oxidising solids

Void Void Void Void

Organic peroxides
 Corrosive to metals
 Desensitised explosives

Void
Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

• 10.2 Chemical stability • Thermal decomposition /

conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions

Contact with acids releases flammable gases. No further relevant information available.

10.4 Conditions to avoid 10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition

products:

Ethanol

Nitrogen oxides (NOx) Possible in traces.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	120 mg/kg (rat)
Dermal	LD50	242 mg/kg (rat)
Inhalative	LC50/4 h	0.11 mg/l (rat)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Oral		64 mg/kg (rat)
Dermal	LD50	87.12 mg/kg (rat)
		>1,230 mg/m3 (rat)
	LC50/4 h	0.33 mg/l (rat)

Skin corrosion/irritation
 Serious eye damage/irritation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 6)

• STOT-single exposure
• STOT-repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

118-58-1 benzyl salicylate

List II

SECTION 12: Ecological information

12.1 Toxicity

	. <u>A</u> q	uatic	toxicity:	
--	--------------	-------	-----------	--

2682-20-4 2-methyl-2H-isothiazol-3-one

EC50 34.6 mg/l (BES) (DIN 38412-3) EC50/48h 0.93-1.9 mg/l (daphnia magna)

ErC50/72h 0.1 mg/l (Skeletonema costatum (Kieselalge))

EC50/16h 2.3 mg/l (pseudomonas putida) EC20/3h 2.8 mg/l (BES) (DIN 38412-3) NOEC/21d 0.04 mg/l (daphnia magna)

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 4.77-6 mg/l (rainbow trout)

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50 7.92 mg/l (bacteria) (OECD 209) EC50/48h 0.16 mg/l (daphnia magna) (OECD 202)

ErC50/48h 0.0052 mg/l (Skeletonema costatum (Kieselalge))

NOELR/72h 0.0012 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

NOEC/21d 0.004 mg/l (daphnia magna) (OECD 211)

0.098 mg/l (Oncorhynchus mykiss) (OECD 210)

EC50/72h 0.048 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 0.28 mg/l (Bluegill.)

0.19 mg/l (Oncorhynchus mykiss) (OECD 203)

0.19 mg/l (rainbow trout)

12.2 Persistence and

degradability
 12.3 Bioaccumulative potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Not hazardous for water.

(Contd. on page 8)



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Can be burned with household garbage after consulting with the waste disposal

facility operator and the pertinent authorities and adhering to the necessary

technical regulations.

Smaller quantities can be disposed of with household waste.

· European waste catalogue		
20 00 00	20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS	
20 03 00	other municipal wastes	
20 03 99	municipal wastes not otherwise specified	

Uncleaned packaging:

Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

· Recommended cleansing agents: Alcohol

SECTION 14: Transport information

· <u>14.1 UN number or ID number</u> · <u>ADR, ADN, IMDG, IATA</u>	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · <u>Class</u>	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to I instruments	MO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 2 (replaces version 1) Revision: 12.12.2022

Trade name: Anti-Graffiti

(Contd. of page 8)

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· Waterhazard class: Generally not hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· <u>VOC EU</u> 0.2 g/l

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:
 Contact:
 Laboratory
 Elke Hake

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Date of previous version: 12.12.2022

· Version number of previous

version:

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration 50 percent

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

EU