AKEMI®

according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Super Glue MVX Pen

87565 · Article number:

 1.2 Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

· Application of the substance / the

Adhesives mixture

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-642960 Fax. +49(0)911-644456 Lechstrasse 28 D 90451 Nürnberg e-mail info@akemi.de

· Further information obtainable

from: Laboratory

1.4 Emergency telephone

number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform, Centre Medical Toxicology Unit

Avalonley Road London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008 Void · Hazard pictograms Void · Signal word Void

· Hazard-determining components of

Not applicable. labelling:

· Hazard statements

· Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

· Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach

of children.

Contains mequinol. May produce an allergic reaction.

Safety data sheet available on request.

People who are allergic to cyanoacrylate should avoid handling the product. 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

>80 - <100% 2-methoxyethyl-2-cyanacrylate (CAS: 27816-23-5, EINECS/

ELINCS: 248-670-5

0 - 10% Silicone and Siloxane; reaction product with Siliciumdioxide

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

0 - 10% Acrylic polymer (Contd. of page 1)

· Dangerous components:

Void

 Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product. · After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Do not pull solidified product off the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist,

> consult a doctor. Protect unharmed eye.

· After swallowing: Do not induce vomiting; call for medical help immediately.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and

delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from

the substance or mixture Carbon monoxide (CO) Nitrogen oxides (NOx)

5.3 Advice for firefighters

Wear self-contained respiratory protective device. · Protective equipment: · Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation Wear protective clothing.

Particular danger of slipping on leaked/spilled product.

Keep away from ignition sources.

Do not allow product to reach sewage system or any water course. 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for

containment and cleaning up: Allow to solidify. Pick up mechanically.

Dispose of the material collected according to regulations.

See Section 7 for information on safe handling. · 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

· Information about fire - and

<u>explosion protection:</u> Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by

<u>storerooms and receptacles:</u> Store only in the original receptacle.

· Information about storage in one

common storage facility: Store away from water. Store away from foodstuffs.

· Further information about storage

conditions:

Protect from frost.

Protect from humidity and water. Keep container tightly sealed.

· Storage class: 1

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Additional information about design

of technical facilities:

No further data; see item 7.

· Ingredients with limit values that require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace. The lists valid during the making were used as basis.

· Additional information:

8.2 Exposure controls

· Personal protective equipment:

General protective and hygienic

manauran

<u>measures:</u> The usual precautionary measures are to be adhered to when handling

chemicals.

Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing

Do not eat, drink, smoke or sniff while working.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Short term filter device:

Filter A/P2

· <u>Protection of hands:</u> The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for

the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

· Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior

to the application.

Nitrile rubber, NBR

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Value for the permeation: Level ≤ 480 min

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Not suitable are gloves made of the following materials:

Leather gloves Strong material gloves

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

•	<u>9.1</u>	Intorn	natio	<u>n on</u>	basic	pny	ysıcaı	and	cnemic	al pr	opertie	S
	_		-							-	-	_

General Information

Appearance:

Fluid Form: Colourless Colour: Odourless · Odour: Not determined. · Odour threshold:

Not determined. · pH-value:

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

72-76 °C · Flash point:

· Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. Explosive properties:

· Explosion limits:

Evaporation rate

Lower: Not determined. Not determined. Upper:

Not determined. · Vapour pressure:

· Density at 20 °C: 1.12 g/cm³ · Relative density Not determined. · Vapour density Not determined. Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic at 20 °C: 120-250 mPas Kinematic: Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

(Contd. of page 4)

• <u>9.2 Other information</u> No further relevant information available.

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

<u>reactions</u> Reacts with acids, alkalis and oxidising agents.

Reacts with water and acids.

Polymerisation.

10.4 Conditions to avoid Heat, flames and other sources of ignition

moisture

· 10.5 Incompatible materials: Water

bases Acids

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation
 Serious eye damage/irritation
 Respiratory or skin sensitisation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No further relevant information available.
No further relevant information available.
No further relevant information available.

· Additional ecological information:

• <u>General notes:</u> Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

· 12.5 Results of PBT and vPvB assessment

 $\begin{array}{ccc} \cdot \underline{\mathsf{PBT:}} & \mathsf{Not \ applicable.} \\ \cdot \underline{\mathsf{vPvB:}} & \mathsf{Not \ applicable.} \end{array}$

• **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Can be disposed of with household garbage after solidification following

consultation with the waste disposal facility operator and the pertinent authorities

and adhering to the necessary technical regulations.

	3 , 3							
· Europeai	· European waste catalogue							
08 00 00								
	(PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS							
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)							
08 04 99	wastes not otherwise specified							
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE							
	CLOTHING NOT OTHERWISE SPECIFIED							
15 01 00	packaging (including separately collected municipal packaging waste)							
15 01 02	plastic packaging							
15 00 00	, , , , , , , , , , , , , , , , , , , ,							
	CLOTHING NOT OTHERWISE SPECIFIED							
15 01 00	packaging (including separately collected municipal packaging waste)							
15 01 01	paper and cardboard packaging							

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

Packagings that may not be cleansed are to be disposed of in the same manner

as the product.

SECTION 14: Transport information

· <u>14.1 UN-Number</u> · <u>ADR, ADN, IMDG, IATA</u>	Void				
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void				
14.3 Transport hazard class(es)					
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void				
· <u>14.4 Packing group</u> · <u>ADR, IMDG, IATA</u>	Void				
· 14.5 Environmental hazards:	Not applicable.				
· 14.6 Special precautions for user	Not applicable.				
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.					
· Transport/Additional information:	Not dangerous according to the above specifications.				
· UN "Model Regulation":	Void				
	(Contd. on page 7)				

Contd. on page 7



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2020 Version number 8 Revision: 04.12.2020

Trade name: Super Glue MVX Pen

(Contd. of page 6)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· <u>Waterhazard class</u>: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· <u>VOC EU</u> 0.0 g

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Laboratory

· Contact: Dieter Zimmermann

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

GB